

Interreg



Co-funded by
the European Union



**UNIVERSITÀ
DI FOGGIA**



Italy – Croatia

 **BIOBASED**

“Development support of blue biorefinery in the Adriatic Sea”

BIOBASED Project | University of Foggia | DAFNE Department

A



Acetabularia acetabulum




Class: Chlorophyta

Geographical
localization and
application

Image reference.

Acinetospora crinita



Class: Phaeophyta

Geographical
localization and
application


Image reference.

Acrochaetium microscopicum

Class: Rhodophyta

Geographical
localization and
application

Image reference.




Acrodiscus spp.

Class: Rhodophyta

Geographical
localization and
application

Image reference.



Acrosorium ciliolatum



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Agardhiella subulata



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Agarophyton vermiculophyllum




Class: Rhodophyta

Geographical
localization and
application

Image reference.

Aglaothamnion feldmanniae



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Aglaothamnion halliae



Class: Rhodophyta

Geographical
localization and
application

Image reference.

alsidium corallinum



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Amphiroa beauvoisii



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Amphiroa cryptarthrodia



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Amphiroa rigida




Class: Rhodophyta

Geographical
localization and
application

Image reference.

Anotrichium furcellatum




Class: Rhodophyta

Geographical
localization and
application

Image reference.

Antithamnion nipponicum




Class: Rhodophyta

Geographical
localization and
application

Image reference.

Aphanocladia stichidiosa



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Apoglossum spp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Asparagopsis armata



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Audouinella spp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

B



Bangia fuscopurpurea



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Blidingia minima



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Boergeseniella fruticulosa

Class: Rhodophyta



Geographical
localization and
application

Image reference.

Bonnemaisonia asparagoides



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Bonnemaisonia hamifera



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Botryocladia spp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Botrytella parva



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Bryopsis corymbosa



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Bryopsis cupressina

Class: Chlorophyta



Geographical
localization and
application

Image reference.

Bryopsis duplex



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Bryopsis hypnoides




Class: Chlorophyta

Geographical
localization and
application

Image reference.

Bryopsis pennata



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Bryopsis plumosa



Class: Chlorophyta

Geographical
localization and
application

Image reference.

C



Callithamnion spp.




Class: Rhodophyta

Geographical
localization and
application

Image reference.

Caulacanthus ustulatus



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Ceramium spp



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Chaetomorpha aerea



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Chaetomorpha gracilis




Class: Chlorophyta

Geographical
localization and
application

Image reference.

Chaetomorpha linum



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Champia parvula



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Chondracanthus spp.




Class: Rhodophyta

Geographical
localization and
application

Image reference.

Chrysymenia ventricosa

Class: Rhodophyta



Geographical
localization and
application

Image reference.

Chylocladia verticillata



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Cladophora coelothrix

Class: Chlorophyta



Geographical
localization and
application

Image reference.

Cladophora dalmatica



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Cladophora flexuosa



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Cladophora fracta



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Cladophora glomerata



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Cladophora hutchinsiae



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Cladophora laetevirens



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Cladophora lehmanniana



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Cladophora prolifera



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Cladophora ruchingeri



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Cladophora rupestris



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Cladophora sericea




Class: Chlorophyta

Geographical
localization and
application

Image reference.

Cladophora vagabunda



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Cladostephus spongiosus




Class: Phaeophyta

Geographical
localization and
application

Image reference.

Codium bursa




Class: Chlorophyta

Geographical
localization and
application

Image reference.

Codium EFFusum



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Codium fragile



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Codium vermilara



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Colaçonema codicola



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Colaçonema daviesii

Class: Rhodophyta



Geographical
localization and
application

Image reference.

Colpomenia sinuosa

Class: Phaeophyta

Geographical
localization and
application

Image reference.



Compsothamnion thuyoides

Class: Rhodophyta



Geographical
localization and
application

Image reference.

Contarina spp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Corallina elongata



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Crouania sp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Cryptonemia lomation



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Cutleria multifida



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Cystoseira amentacea




Class: Phaeophyta

Geographical
localization and
application

Image reference.

Cystoseira barbata



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Cystoseira compressa




Class: Phaeophyta

Geographical
localization and
application

Image reference.

Cystoseira crinita



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Cystoseira spinosa



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Cystoseria Corniculata

Class: Phaeophyta

Geographical
localization and
application

Image reference.



D



Dasya spp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Dasycladus vermicularis

Class: Chlorophyta



Geographical
localization and
application

Image reference.

Dasysiphonia japonica




Class: Rhodophyta

Geographical
localization and
application

Image reference.

Derbesia tenuissima

Class: Chlorophyta




Geographical
localization and
application

Image reference.

Dictyopteris polypodioides


Class: Phaeophyta



Geographical
localization and
application

Image reference.

Dictyota dichotoma



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Dictyota fasciola




Class: Phaeophyta

Geographical
localization and
application

Image reference.

Dictyota linearis



Class: Phaeophyta


Geographical
localization and
application

Image reference.

E



Ectocarpus siliculosus



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Elachista stellaris



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Ellisolandia elongata



Class: Rhodophyta

Geographical
localization and
application


Image reference.

Entocladia viridis

Class: Chlorophyta

Geographical
localization and
application

Image reference.



Epicladia FLustrae



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Ericaria amentacea



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Erythrotrichia spp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

F



Feldmannia sp.



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Flabellia petiolata



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Fucus virsoides



Class: Phaeophyta

Geographical
localization and
application

Image reference.

G



Gastroclonium spp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Gayliella Flaccida



Class: Rhodophyta

Geographical
localization and
application


Image reference.

Gayliella mazoyerae

Class: Rhodophyta

Geographical
localization and
application

Image reference.



Gelidiella spp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Gelidium spp.



Class: Rhodophyta

Geographical
localization and
application


Image reference.

Giraudya sphacelarioides

Class: Phaeophyta

Geographical
localization and
application

Image reference.



Gongolaria barbata



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Gracilaria spp.



Class: Rhodophyta

Geographical
localization and
application

Grateloupia spp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Griffithsia schousboei



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Gymnothamnion elegans



Class: Rhodophyta

Geographical
localization and
application

Image reference.

H



Halimeda tuna



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Halopithys incurva




Class: Rhodophyta

Geographical
localization and
application

Image reference.

Halopteris filicina



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Halopteris scoparia




Class: Phaeophyta

Geographical
localization and
application

Image reference.

Halothrix lumbricalis


Class: Phaeophyta



Geographical
localization and
application

Image reference.

Halymenia floresii



Class: Rhodophyta

Geographical
localization and
application


Image reference.

Hecatonema terminale

Class: Phaeophyta

Geographical
localization and
application

Image reference.



Herposiphonia secunda



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Herposiphonia tenella




Class: Rhodophyta

Geographical
localization and
application

Image reference.

Heterosiphonia crispella


Class: Rhodophyta



Geographical
localization and
application

Image reference.

Hildenbrandia rubra



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Hincksia spp.



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Hydrolithon spp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Hypnea cervicornis



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Hypnea musciformis



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Hypoglossum hypoglossoides

Class: Rhodophyta




Geographical
localization and
application

Image reference.

J



Jania rubens



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Jania virgata (Halimnion virgatum)

Class: Rhodophyta




Geographical
localization and
application

Image reference.



Laurencia obtusa



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Laurencia spp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Leathesia marina



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Lithophyllum spp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Lithothamnion sp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Lomentaria spp.



Class: Rhodophyta

Geographical
localization and
application


Image reference.

Lophosiphonia obscura


Class: Rhodophyta

Geographical
localization and
application

Image reference.



Lychaete echinus




Class: Chlorophyta

Geographical
localization and
application

Image reference.

Lychaete pellucida

Class: Chlorophyta



Geographical
localization and
application

Image reference.

M




Melanothamnus japonicus

Class: Rhodophyta


Geographical
localization and
application

Image reference.



Melobesia membranacea

Class: Rhodophyta



Geographical
localization and
application

Image reference.

Meredithia microphylla



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Millerella pannosa



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Monosporus pedicellatus



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Monostroma grevillei

Class: Chlorophyta



Geographical
localization and
application

Image reference.

Myriactula rivulariae



Class: Phaeophyta

Geographical
localization and
application


Image reference.

N



Neogoniolithon brassica-florida

Class: Rhodophyta



Geographical
localization and
application

Image reference.

Nereia filiformis




Class: Phaeophyta

Geographical
localization and
application

Image reference.

Neurocaulon foliosum



Class: Rhodophyta

Geographical
localization and
application

Image reference.

0



Osmundea ramosissima




Class: Rhodophyta

Geographical
localization and
application

Image reference.

Osmundea truncata



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Osmundea verlaquei



Class: Rhodophyta

Geographical
localization and
application

Image reference.

P



Padina pavonica




Class: Phaeophyta

Geographical
localization and
application

Image reference.

Palisada perforata




Class: Rhodophyta

Geographical
localization and
application

Image reference.

Parviphycus antipae



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Peyssonnelia spp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Phyllophora sp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Pleonosporium boergesenii

Class: Rhodophyta



Geographical
localization and
application

Image reference.

Polysiphonia spp.




Class: Rhodophyta

Geographical
localization and
application

Image reference.

Porphyra leucosticta




Class: Rhodophyta

Geographical
localization and
application

Image reference.

Pseudochlorodesmis furcellata

Class: Chlorophyta



Geographical
localization and
application

Image reference.

Pteroccludiella melonoidea

Class: Rhodophyta



Geographical
localization and
application

Image reference.

Pterosiphonia pennata



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Pterothamnion spp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Pyropia leucosticta




Class: Rhodophyta

Geographical
localization and
application

Image reference.

Pyropia yezoensis



Class: Rhodophyta

Geographical
localization and
application

Image reference.

R



Radicilingua spp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Ralfsia verrucosa



Class: Phaephyta

Geographical
localization and
application

Image reference.

Rhizoclonium riparium



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Rhizoclonium tortuosum



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Rhodophyllus divaricata



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Rhodymenia spp.




Class: Rhodophyta

Geographical
localization and
application

Image reference.

Rugulopteryx Okamurae



Class: Phaeophyta

Geographical
localization and
application

Image refernce.

Rytiphloea tinctoria




Class: Rhodophyta

Geographical
localization and
application

Image reference.



Sahlingia subintegra



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Sargassum horneri



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Sargassum hornschuchii

Class: Phaeophyta

Geographical
localization and
application

Image reference.



Sargassum muticum



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Schizymenia dubyi

Class: Rhodophyta



Geographical
localization and
application

Image reference.

Schotter nicaeensis



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Scytosiphon dotyi



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Sebdenia dichotoma



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Seirospora interrupta



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Siphonocladus pusillus



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Solieria filiformis



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Spermothamnion spp.




Class: Rhodophyta

Geographical
localization and
application

Image reference.

Sphacelaria spp.




Class: Phaeophyta

Geographical
localization and
application

Image reference.

Sporolithon ptychoides




Class: Rhodophyta

Geographical
localization and
application

Image reference.

Spyridia Filamentosa



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Stylonema spp.



Class: Rhodophyta

Geographical
localization and
application

Image reference.

T



Taonia atomaria



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Titanoderma pustulatum

Class: Rhodophyta




Geographical
localization and
application

Image reference.

U



Ulothrix FLacca




Class: Chlorophyta

Geographical
localization and
application

Image reference.

Ulva spp.



Class: Chlorophyta

Geographical localization and application

Image reference.

Ulvaria obscura




Class: Chlorophyta

Geographical
localization and
application

Image reference.

Ulvella lens



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Ulvella spp.

Class: Chlorophyta

Geographical
localization and
application

Image reference.



Umbraulva dangeardii



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Undaria pinnatifida



Class: Phaeophyta

Geographical
localization and
application

Image reference.

Uronema marinum


Class: Chlorophyta




Geographical
localization and
application

Image reference.

V



Valonia macrophysa



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Valonia urticularis



Class: Chlorophyta

Geographical
localization and
application

Image reference.

Ventricaria ventricosa

Class: Chlorophyta



Geographical
localization and
application

Image reference.

Vertebrata spp.




Class: Rhodophyta

Geographical
localization and
application

Image reference.

W W



Womersleyella setacea



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Wrangelia penicillata



Class: Rhodophyta

Geographical
localization and
application

Image reference.

Z



Zanardinia typus



Class: Phaeophyta

Geographical
localization and
application

Image reference.